

**AMENDMENTS TO THE CLAIMS**

1. (Cancelled)

2. (Currently Amended) A server computer capable of being connected to a communication terminal comprising a display device capable of displaying an image such that they can communicate with each other through a network, comprising:

an image database storing image data;

an image data transmission device for transmitting to said communication terminal the image data stored in said image database in response to an image transmission request from said communication terminal;

a storage device storing order information transmitted from said communication terminal and related to prints of an image represented by the image data transmitted by said image data transmission device;~~and~~

a controller controlling a printer so as to print the image represented by the image data specified on the basis of the order information stored in said storage device in response to the print command from said communication terminal;

image data registration acceptance means for accepting the registration of the image data to be stored in the image database; and

first ID generation means for generating an image ordering ID and a print commanding ID in correlation with the accepted image data in response to the acceptance of the image data by the image data registration acceptance means,

the image transmission request transmitted from the communication terminal including said image ordering ID, said image data transmission device transmitting to said communication terminal the image data correlated with the image ordering ID in response to the image transmission request from the communication terminal,

the print command transmitted from the communication terminal including the print commanding ID, and said printer controller controlling the printer so as to print an image represented by the image data correlated with the print commanding ID in response to the print command from the communication terminal.

3. (Original) The server computer according to claim 2, wherein  
said order information includes information related to the desired number of prints of the  
image represented by the image data specified by said order information.

4. (Currently Amended) The server computer according to claim 3, further comprising:  
means for calculating a print charge on the basis of the information related to said  
desired number of prints; and  
print charge transmission means for transmitting to said communication terminal data  
representing the calculated print charge.

5. (Currently Amended) The server computer according to claim 2, further comprising:  
means for calculating at least a planned completion date for the prints of the image by  
the printer controlled by said printer controller in response to the print command from said  
communication terminal, and  
planned completion date transmission means for transmitting to said communication  
terminal data representing the calculated planned completion date.

6. (Currently Amended) The server computer according to claim 2, further comprising:  
order condition information transmission means for transmitting to said communication  
terminal order condition information represented on the basis of the order information stored in  
said storage device in response to an order condition confirmation request from the  
communication terminal.

7. (Currently Amended) The server computer according to claim 2, further comprising:  
means for accepting from said communication terminal the transmission of display  
device type information related to the type of the display device in the communication terminal,  
said image data transmission device converting the image data stored in said image  
database into image data adaptable to the display device in the communication terminal in

accordance with the display device type information and transmitting the image data to the communication terminal.

8. (Cancelled)

9. (Currently Amended) The server computer according to claim 2 8, further comprising:

password generation means for respectively generating an image ordering password corresponding to the image ordering ID and a print commanding password corresponding to the print commanding ID which are generated by the first ID generation means[[,]]; ~~and~~

image data transmission judgment means for judging whether or not the image data should be transmitted to said communication terminal on the basis of the image ordering ID and the image ordering password[[,]]; and

print judgment means for judging whether or not the printer should be controlled so as to print the image represented by the image data on the basis of the print commanding ID and the print commanding password,

the image transmission request transmitted from the communication terminal further including the image ordering password, and the image data transmission device transmitting the image data to the communication terminal when it is judged that the image data can be transmitted by the image data transmission judgment means on the basis of the image ordering ID and the image ordering password,

the print command transmitted from the communication terminal further including the print commanding password, and the printer controller controlling the printer so as to print the image represented by the image data in a case where it is judged that printing is possible by the print judgment means on the basis of the print commanding ID and the print commanding password.

10. (Currently Amended) The server computer according to claim 2 8, further comprising:

second ID generation means for generating a member specifying ID in correlation with the image ordering ID generated by the first ID generation means,

said member specifying ID, together with the order information, being transmitted from the communication terminal, and the storage device storing the received order information and the member specifying ID with both correlated with each other.

11. (Currently Amended) The server computer according to claim 2 8, further comprising:

means for erasing from the image database the image data stored in the image database when a predetermined set time period has elapsed from a date for acceptance of the image data by the image data registration acceptance means.

12. (Currently Amended) The server computer according to claim 11, further comprising:

erasure confirmation transmission means for transmitting data representing a planned erasure date to the communication terminal prior to erasing the image data by the erasure means.

13. (Original) The server computer according to claim 11, wherein  
said erasure means extends said set time period for the image data specified on the basis of the order information in response to the print command from the communication terminal.

14.-15. (Cancelled)

16. (Currently Amended) A method of controlling a server computer capable of being connected to a communication terminal having a display device capable of displaying an image such that they can communicate with each other through a network, comprising the steps of:

storing image data in an image database;

transmitting to said communication terminal the image data stored in said image database in response to an image transmission request from said communication terminal;

storing order information related to prints of an image represented by the image data transmitted from said communication terminal;~~and~~

controlling a printer so as to print the image represented by the image data specified on the basis of the order information stored in said storage device in response to a print command from said communication terminal;

accepting the registration of the image data to be stored in the image database; and  
generating an image ordering ID and a print commanding ID in correlation with the  
accepted image data in response to the acceptance of the image data,

the image transmission request transmitted from the communication terminal including  
said image ordering ID, said transmitting step transmitting to said communication terminal the  
image data correlated with the image ordering ID in response to the image transmission request  
from the communication terminal,

the print command transmitted from the communication terminal including the print  
commanding ID, and said step of controlling the printer controlling the printer so as to print an  
image represented by the image data correlated with the print commanding ID in response to the  
print command from the communication terminal.

17.-19. (Cancelled)